Annual Drinking Water Quality Report for 2012

Saratoga Water Services Stonebreak Road, PO Box 2109, Malta, NY 12020 Public Water Supply Identification Number NY4511620

INTRODUCTION

To comply with State regulations, Saratoga Water Services will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report is an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to New York State standards. Our constant goal is and always has been, to provide to you a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and to protect our water resources. If you have any questions concerning this report or concerning your drinking water please contact: Jean Marcotte, PO Box 2109, Malta, NY 12020; Telephone (518) 899-6001, E mail jmarcotte@saratogawaterservices.com. We want our valued customers to be informed about their water service. If you want to learn more, please call us.

WHERE DOES OUR WATER COME FROM?

The Saratoga Water Services draws its water from ground water sources. Groundwater or well water is stored below the surface of the earth in deep, porous rocks called "aquifers." Groundwater is purified naturally as it filters through layers of soil, clay, rock and sand. This process, known as percolation takes years to complete. As a result, groundwater requires less treatment than surface water. We pump this groundwater out through our 4 wells located at the Knapp Road wellfield and 3 wells located at the Cold Spring Road wellfield. The wells range in depth from 35 to 300 feet. The pumping capacity for all 6 wells is approximately 3.0 million gallons per day. At the Fox Wander Pumphouse there is a 300,000 gallon concrete storage tank to meet consumer demand and to provide adequate fire protection. Water pressure is maintained through 5 pressure pumps via a 10,000 gallon hydro-tank. Three pumps are variable speed and the other 2 pumps are not variable speed. At the Cold Spring Road Pumphouse there is a 752,000 gallon, steel/glass lined storage tank which is used to meet consumer demand and to provide adequate fire protection. Water pressure is maintained through 3 pressure pumps via a 300 gallon hydro-tank. All three pumps are variable speed. Pumping capacity from both pumphouses is determined by system pressure. Treatment of the water produced by the wells at each pumphouse consists of chlorination to protect against contamination from harmful bacteria and other organisms.

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and EPA prescribe regulations, which limit the amount of certain contaminants in water, provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

FACTS AND FIGURES

The Saratoga Water Services provides water through 2,156 service connections to a population of approximately 7,000 people. Our average daily demand is 472,014 gallons. Our single highest day was 1,036,000 gallons. The total water produced in 2012 was 172,285,000 gallons. Total metered consumption was 171,644,443 gallons or 99.61% of the metered production. The total unaccounted for water or non-revenue producing water 640,557 gallons or 0.39%. Water rates are \$5.34 per 1000 gallons. The average annual water bill is approximately \$350.00 per year.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

In accordance with State regulations, the Saratoga Water Services routinely monitors your drinking water for numerous contaminants. We test your drinking water for inorganic contaminants, radiological contaminants, lead and copper, nitrate, volatile organic contaminants, and synthetic organic contaminants. In addition, we test 8 samples per month for coliform bacteria each month. The table presented on page 3 depicts which contaminants were detected in your drinking water. The state allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old and is noted. For a listing of all the parameters that we must analyze and the frequency of testing for compliance with the NYS Sanitary Code, see Appendix A.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily pose a health risk. More

information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the New York State Department of Health Glens Falls District Office at (518) 793-3893.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table on page 3, our system had no violations. We have learned through our monitoring and testing that some contaminants have been detected; however, these compounds were detected below New York State requirements. MCL's are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2012, our system was in compliance with applicable State drinking water operating, monitoring and reporting requirements.

INFORMATION ON LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Saratoga Water Services is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead

IS OUR WATER SAFE FOR EVERYONE?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbiological pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHAT IS THE SOURCE WATER ASSESSMENT PROGRAM (SWAP)?

To emphasize the protection of surface and ground water sources used for public drinking water, Congress amended the Safe Drinking Water Act (SDWA) in 1996. The amendments require that New York State Department of Health's Bureau of Public Water Supply Protection is responsible for ensuring that source water assessments are completed for all of New York's public water systems. A SWAP summary for our water supply is attached to this report.

WATER CONSERVATION TIPS

The Saratoga Water Services encourages water conservation. There are a lot of things you can do to conserve water in your own home. Conservation tips include:

- Only run the dishwasher and clothes washer when there is a full load.
- Use water saving showerheads.
- Install faucet aerators in the kitchen and the bathroom to reduce the flow from 4 to 2.5 gallons per minute.
- Water gardens and lawn for only a couple of hours after sunset.
- Check faucets, pipes and toilets for leaks and repair all leaks promptly.
- Take shorter showers.

CAPITAL IMPROVEMENTS:

♦ Installed Production Well # 9 as a redundant well.

CLOSING

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit our customers. We ask that all our customers help us protect our water sources. Please call our office if you have questions.

Contaminant	Violation Level		pply Identification Number NY4 Unit MCLG		MCL	Likely Source of Contamination	
	Y/N	Detected	Measurement			2	
Inorganic Contaminants (samples from 4/21/08) unl							
Arsenic Fox Wander (sample from 4/27/11)	N	1.1	ppb	N/A	10	Erosion of natural deposits;	
Barium Cold Spring (samples from 4/27/11) Fox Wander	N	80.1 13.4	ppb	2000	2000	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
Chloride Cold Spring Fox Wander (samples from 4/21/08)	N	8 7	ppm	N/A	250	Geology; Naturally occurring	
Copper (samples from 6/20/12-6/28/12) Range of copper concentrations	N	0.27 ¹ ND-3.08	ppm	1.3	AL=1.3	Corrosion of household plumbing systems;	
Fluoride Cold Spring (samples from 4/27/11) Fox Wander	N	100 130	ppb	N/A	2200	Water additive which promotes strong teeth.	
Iron Cold Spring Fox Wander	N	240 60	ppb	N/A	300	Geology; Naturally occurring	
Lead (samples from 6/20/12-6/28/12) Range of lead concentrations	N	1 ² ND-6	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
Manganese Cold Spring Fox Wander (samples from 4/21/08)	N	50 20	ppb	N/A	300	Geology; Naturally occurring	
Nickel Cold Spring (samples from 4/27/11) Fox Wander	N	1.3 1.5	ppb	N/A	100	Discharge from steel/metal factories	
pH Cold Spring Fox Wander	N	7.9 7.7	units		6.5-8.5		
Sodium ³ Cold Spring Fox Wander	N	5.8 6.2	ppm	N/A	N/A	Geology; Road Salt	
Sulfate Cold Spring (samples from 4/27/11) Fox Wander	N	27.2 10.6	ppm	N/A	250	Geology;	
Zinc Cold Spring Disinfection Byproducts (THM & HAA5 samples fro	N 7/20/10)	10	ppb	N/A	5000	Galvanized pipe; corrosion inhibitor	
Chlorine (based on daily testing)	N N	0.30	ppm	MRDLG	MRDL	Used in the treatment and disinfection of	
Range of chlorine residuals		0.15- 0.49	PP	N/A	4	drinking water	
Haloacetic Acids (HAA5) Luther Forest	N	1.6	ppb	N/A	60	By-product of drinking water chlorination.	
TTHM[Total Trihalomethanes] Luther Forest	N	3.9	ppb	0	80	By-product of drinking water chlorination	
Microbiological Contaminants							
Total Coliform (sample from 7/10/12)	N	1 positive sample	N/A	0	Any positive sample ⁴	Naturally present in the environment	
E. coli (sample from 7/10/12)	N 1 positive sample		N/A	0	Any positive sample ⁵	Human and animal fecal waste	

NOTES-

- 1. The level presented represents the 90th percentile of 20 test sites. The action level for copper was exceeded at 1 of the 20 sites tested
- 2. The level presented represents the 90th percentile of 20 test sites. The action level for lead was not exceeded at any of the 20 sites tested 3. Water containing more than 20 mg/l should not be consumed by persons on severely restricted sodium diets;
- 4. A violation occurs at systems collecting less than 40 samples per month when two or more samples are total coliform positive. Nine resamples were collected on 7/11/12 and found to be total coliform negative.
- 5. A violation occurs when a total coliform positive sample is positive for E. Coli and a repeat total coliform sample is positive or when a total coliform positive sample is negative for E. Coli but a repeat total coliform sample is positive and the sample is also positive for E. coli.. Nine resamples were collected on 7/11/12 and all were E. coli negative.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

90th Percentile Value- The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system

Action Level - the concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using

Maximum Contaminant Level Goal The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination. N/A-Not applicable

			A WATER SERVICES TEST F			
<u></u>		Water	Supply Identification Number			
CONTAMINANT	MONITORING FREQUENCY		CONTAMINANT	CONTAMINANT	MONITORING FREQUENCY	
Asbestos	Every 9 years		POC's			
	Waiver from monitoring		Benzene	Trans-1,3-Dichloropropene		
	No asbestos pipe	1	Bromobenzene	Ethylbenzene	.	
Antimony			Bromochloromethane	Hexachlorobutadiene	Monitoring requirement is one sample eve	
Arsenic*			Bromomethane	Isopropylbenzene		
7 H3CINC	-		N-Butylbenzene	p-Isopropyltoluene	3 years	
Beryllium	Sample results from 4/27/11 NON DETECT * Fox Wander Only		sec-Butylbenzene	Methylene Chloride	Sample resul	
Cadmium			Tert-Butylbenzene	n-Propylbenzene		
Chromium			Carbon Tetrachloride	Styrene	from 6/12/12	
Cyanide			Chlorobenzene	1,1,1,2-Tetrachloroethane	_	
Mercury			2-Chlorotoluene	1,1,2,2-Tetrachloroethane	1	
Selenium			4-Chlorotoluene	Tetrachloroethene		
Thallium			Dibromethane	Toluene	_	
	1		1,2-Dichlorobenzene	1,2,3-Trichlorobenzene	4	
	-		1,3-Dichlorobenzene	1,2,4-Trichlorobenzene	NON DETEC	
	-		1,4-Dichlorobenzene	1,1,1-Trichloroethane	NON DETEC	
	Monitoring requirement is	ł	Dichlordifluoromethane	1,1,2-Trichloroethane		
	one sample annually,		1,1-Dichloroethane	Trichloroethene		
	NON DETECT		1,2-Dichloroethane	Trichlorofluoromethane		
W. 1007-19-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	5/16/12		1,1 Dichloroethene	1,2,3-Trichloropropane		
			cis-1,2 Dichloroethene	1,2,4-Trimethylbenzene]	
Monitoring requirement is at State discretion	_		Trans-1,2-Dichloroethene	1,3,5-Trimethylbenzene	1	
			1,2 Dichloropropane	m-Xylene	1	
		1,3 Dichloropropane	o- Xylene			
Odor	Sample results from		2,2 Dichloropropane	p-Xylene	1	
Zinc* 4/21/08 NON DETECT			1,1 Dichloropropene	Vinyl Chloride]	
	NON DETECT		Cis-1,3-Dichloropropene	MTBE	1	
despita a de train etc.			Total Coliform / E. coli		l Maria i i a	
	<u>L</u>		Total Collform / E. coll		Monitoring is 8 samples/ month	
HAA5		1				
		1			I NON DETECT	
THM	Sample in July every 3 years (1/source)		Radiological Parameters		NON DETECT	
THM	Sample in July every 3 years (1/source) Cold Spring -Non Detect		Gross Alpha particle activity	Cold Spring	requirement is on	
ТНМ	years (1/source)			Cold Spring Cold Spring & Luther Forest	requirement is on sample every 9	
ТНМ	years (1/source)		Gross Alpha particle activity		requirement is on	
ТНМ	years (1/source)		Gross Alpha particle activity		requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04	
THM	years (1/source)		Gross Alpha particle activity Radium 228		requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04	
	years (1/source) Cold Spring -Non Detect		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals	Cold Spring & Luther Forest	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04	
Synthetic Organic Che	years (1/source) Cold Spring -Non Detect		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G	Cold Spring & Luther Forest	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT	
Synthetic Organic Che Alachlor	years (1/source) Cold Spring -Non Detect		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals	Cold Spring & Luther Forest roup II) Benzo(a)pyrene	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G	Cold Spring & Luther Forest	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor	roup II) Benzo(a)pyrene Carbaryl	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is every 18 month NON DETECT	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is every 18 month NON DETECT Samples	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D Ethylene Dibromide	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin Heptachlor		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin Diquat*	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb Endothall*	requirement is or sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is every 18 month NON DETECT Samples 11/30/2012	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D Ethylene Dibromide Lindane	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin Heptachlor Methoxyhlor		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin Diquat* Glyphosate*	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb Endothall' Hexachlorobenzene	requirement is or sample every 9 years. Samples from 3/25/04 & 7/8/0· NON DETECT Monitoring requirement is every 18 month NON DETECT Samples 11/30/2012 *State waiver	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D Ethylene Dibromide Lindane PCB's	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin Heptachlor		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin Diquat* Glyphosate* Hexachlorocyclopentadiene	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb Endothall* Hexachlorobenzene 3-Hydroxycarbofuran	requirement is or sample every 9 years. Samples from 3/25/04 & 7/8/0· NON DETECT Monitoring requirement is every 18 month NON DETEC Samples 11/30/2012 *State waiver does not requirement requirement service to the samples samples 11/30/2012	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D Ethylene Dibromide Lindane PCB's 2,4,5-TP (Silvex)	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin Heptachlor Methoxyhlor		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin Diquat* Glyphosate* Hexachlorocyclopentadiene Methomyl	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb Endothall* Hexachlorobenzene 3-Hydroxycarbofuran Metolachlor	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is every 18 month NON DETECT Samples	
Synthetic Organic Che Alachlor Aldicarb Sulfoxide Atrazine Chlordane 2,4-D Ethylene Dibromide Lindane PCB's	years (1/source) Cold Spring -Non Detect micals (Group I) Aldicarb Aldicarb Sulfone Carbofuran Dibromochloropropane Endrin Heptachlor Methoxyhlor		Gross Alpha particle activity Radium 228 Synthetic Organic Chemicals Synthetic Organic Chemicals (G Aldrin Butachlor Dalapon Di(2-ethylhexyl)pthalate Dieldrin Diquat* Glyphosate* Hexachlorocyclopentadiene	roup II) Benzo(a)pyrene Carbaryl Di(2-ethylhexyl)adipate Dicamba Dinoseb Endothall* Hexachlorobenzene 3-Hydroxycarbofuran	requirement is on sample every 9 years. Samples from 3/25/04 & 7/8/04 NON DETECT Monitoring requirement is every 18 month NON DETEC Samples 11/30/2012 *State waiver does not requirementing	

Saratoga Water Services NY4511620 AWQR SWAP Summary

The NYS DOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See section "Are there contaminants in our drinking water?" for a list of the contaminants that have been detected, if any. The source water assessments provide resource managers with additional information for protecting source waters into the future.

The source water assessment did not identify any significant sources of contamination. However, the well fields draw from sand and gravel aquifers and only one of the wells has overlying soils that can provide protection from potential contamination. The overlying soils for the remaining wells overlying soils are not known to provide adequate protection from potential contamination and are therefore susceptible to potential sources of contamination. Continued vigilance in compliance with water quality protection and pollution prevention programs as well as continued monitoring and enforcement will help to continue to protect groundwater quality. Please note that our water is disinfected to ensure that that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

The county and state health departments will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning and education programs. A copy of the assessment can be obtained by contacting us at the number provided in the annual report.