Annual Drinking Water Quality Report for 2021

Saratoga Water Services, Inc. Stonebreak Road, PO Box 2109, Malta, NY 12020 Public Water Supply Identification Number NY4511620

INTRODUCTION

To comply with State regulations, Saratoga Water Services will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report is an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to New York State standards. Our constant goal is and always has been, to provide to you a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and to protect our water resources. If you have any questions concerning this report or concerning your drinking water please contact Jean Marcotte, Superintendent/Chief Water Plant Operator, Saratoga Water Services, Inc. PO Box 2109, Malta, NY 12020; Telephone (518) 899-6001, E mail imarcotte@saratogawaterservices.com. We want our valued customers to be informed about their water service. If you want to learn more, please call us.

WHERE DOES OUR WATER COME FROM?

The Saratoga Water Services draws its water from ground water sources. Groundwater or well water is stored below the surface of the earth in deep, porous rocks called aquifers. Groundwater is purified naturally as it filters through layers of soil, clay, rock and sand. This process, known as percolation takes years to complete. As a result, groundwater requires less treatment than surface water. We pump this groundwater out through our 5 wells located at the Knapp Road wellfield and 3 wells located at the Cold Spring Road wellfield. The wells range in depth from 35 to 300 feet. The pumping capacity for all 6 wells is approximately 3.0 million gallons per day. At the Fox Wander Pumphouse there is a 280,000-gallon concrete storage tank to meet consumer demand and to provide adequate fire protection. All 3 pumps are variable speed. At the Cold Spring Road Pumphouse there is a 752,000-gallon, steel/glass lined storage tank which is used to meet consumer demand and to provide adequate fire protection. Water pressure is maintained through 5 pressure pumps via a 300-gallon hydro-tank. All 5 pumps are variable speed. Pumping capacity from both pumphouses is determined by system pressure. Treatment of the water produced by the wells at each pumphouse consists of chlorination to protect against contamination from harmful bacteria and other organisms.

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and EPA prescribe regulations, which limit the amount of certain contaminants in water, provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

FACTS AND FIGURES

The Saratoga Water Services provides water through 2,745 service connections to a population of approximately 8,850 people. Our average daily demand is 626,011 gallons. Our single highest day was 1,290,000 gallons. The total water produced in 2021 was 228,494,000 gallons. Total metered consumption was 222,664,210 gallons or 97.45% of the metered production. The total unaccounted-for water or non-revenue producing water 5,829,590 gallons or 2.55%. Water rates are \$5.34 per 1000 gallons. The average annual water bill is approximately \$350.00 per year.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

In accordance with State regulations, the Saratoga Water Services routinely monitors your drinking water for numerous contaminants. We test your drinking water for microbial contaminants, inorganic contaminants, pesticides and herbicides; radioactive contaminants; and organic chemical contaminants. In addition, we test 10 samples per month for coliform bacteria each month. The table presented on page 4 depicts which contaminants were detected in your drinking water. The state allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative, are more than one year old. For a listing of all the parameters that we must analyze and the frequency of testing for compliance with the NYS Sanitary Code, see Appendix A.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily pose a health risk. More

information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the New York State Department of Health Glens Falls District Office at (518) 793-3893.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table on page 4, our system had no violations. We have learned through our monitoring and testing that some contaminants have been detected; however, these compounds were detected below New York State requirements. MCL's are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

New York State has adopted the first in the nation drinking water standard for 1,4-Dioxane along with one of the lowest maximum contaminant levels for PFOA and PFOS. Public Water Supplies in NYS are required to test for PFOA, PFOS and 1,4-Dioxane. PFOA and PFOS have Maximum Contaminant Levels (MCL) of 10 parts per trillion each while 1,4-Dioxane has an MCL of 1.0 parts per billion. Saratoga Water Services has completed its 2nd quarter monitoring with no detects for PFOA, PFOS & 1,4-Dioxane.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

During 2021, our system was in compliance with applicable State drinking water operating and monitoring requirements. Saratoga Water Services did not submit their emergency plan to the NYS Department of Health in the required time frame and were issued a Notice of Violation (NOV) on April 26, 2021. The NOV was rescinded on July 22, 2021 when the NYS Department of Health had received the document in question.

INFORMATION ON LEAD

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Saratoga Water Services is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead

IS OUR WATER SAFE FOR EVERYONE?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbiological pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHAT IS THE SOURCE WATER ASSESSMENT PROGRAM (SWAP)?

To emphasize the protection of surface and ground water sources used for public drinking water, Congress amended the Safe Drinking Water Act (SDWA) in 1996. The amendments require that New York State Department of Health's Bureau of Public Water Supply Protection is responsible for ensuring that source water assessments are completed for all of New York's public water systems. A SWAP summary for our water supply is attached to this report.

WATER CONSERVATION TIPS

The Saratoga Water Services encourages water conservation. There are a lot of things you can do to conserve water in your own home. Conservation tips include:

- Only run the dishwasher and clothes washer when there is a full load.
- Use water saving showerheads.
- Install faucet aerators in the kitchen and the bathroom to reduce the flow from 4 to 2.5 gallons per minute.
- Water gardens and lawn for only a couple of hours after sunset.
- Check faucets, pipes and toilets for leaks and repair all leaks promptly.
- Take shorter showers.

CAPITAL IMPROVEMENTS:

In 2021 the following improvements were completed:

♦ Added a backup well (pW-5) at Knapp Road

CLOSING

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit our customers. We ask that all our customers help us protect our water sources. Please call our office if you have questions.

Saratoga Water Services NY4511620 AWQR SWAP Summary

The NYS DOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See section "Are there contaminants in our drinking water?" for a list of the contaminants that have been detected, if any. The source water assessments provide resource managers with additional information for protecting source waters into the future.

The source water assessment did not identify any significant sources of contamination. The well fields draw from sand and gravel aquifers and only one of the well fields has overlying soils that can provide protection from potential contamination. The overlying soils for the remaining wells overlying soils are not known to provide adequate protection from potential contamination and are therefore susceptible to potential sources of contamination. Continued vigilance in compliance with water quality protection and pollution prevention programs as well as continued monitoring and enforcement will help to continue to protect groundwater quality. Please note that our water is disinfected to ensure that that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

The county and state health departments will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning and education programs. A copy of the assessment can be obtained by contacting us at the number provided in the annual report.

			lic Water Su	pply Identification	Number NY4511		
Contaminant		Violation Y/N	Level Detected	Unit Measurement	MCLG	MCL	
Inorganic Contar	ninants (samples from 11/10/20)	unless otherwis	e noted				
Barium	Cold Spring Fox Wander	N	70.6 12.4	ppb	2000	2000	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chloride	Cold Spring Fox Wander	N	13.5 10.1	ppm	N/A	250	Geology; Naturally occurring
Copper (samples from 8/11/21-9/15/21) Range of copper concentrations		N	0.17 ¹ 0.031- 0.23	ppm	1.3	AL=1.3	Corrosion of household plumbing systems;
Iron	Cold Spring (11/16/21)	N	204	ppb	N/A	300	Geology; Naturally occurring
Lead (samples from 8/11/21-9/15/21) Range of lead concentrations		N	ND ² ND-14.5	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Manganese	Cold Spring Fox Wander	N	45.5 ND	ppb	N/A	300	Geology; Naturally occurring
Nickel	Cold Spring	N	0.5	ppb	N/A	N/A	Naturally occurring
Odor	Cold Spring Fox Wander	N	1.4 1.4	units	N/A	3	Natural sources
Н	Cold Spring Fox Wander	N	7.8 7.83	units		6.5-8.5	
Sodium ³	Cold Spring Fox Wander	N	8.68 6.55	ppm	N/A	N/A	Geology; Road Salt
Sulfate	Cold Spring Fox Wander	N	32.2 10.6	ppm	N/A	250	Geology;
Zinc	Fox Wander	N	6.1	ppb	N/A	5000	Galvanized pipe; corrosion inhibitor
	oducts (THM & HAA5 samples						
Chlorine (based on daily testing) Range of chlorine residuals		0.	0.29	ppm	MRDLG	MRDL	Used in the treatment and disinfection of drinking water
			0.10- 0.56		N/A	4	
Trihalomethanes (TTHM) Luther Forest System		N	5.6	ppb	0	80	By-product of drinking water chlorination

NOTES-

- 1. The level presented represents the 90th percentile of 20 test sites. The action level for copper was not exceeded at any of the 20 sites tested.
- 2. The level presented represents the 90th percentile of 20 test sites. The action level for lead was not exceeded at any of the 20 sites tested.
- 3. Water containing more than 20 mg/l should not be consumed by persons on severely restricted sodium diets;

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

90th Percentile Value The values reported for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system

Action Level - the concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

N/A-Not applicable

New York State Sanitary Code Compliance Monitoring Requirements- Compounds Analyzed that were Below Limits of Detection SARATOGA WATER SERVICES TEST RESULTS Public Water Supply Identification Number NY4511620 MONITORING CONTAMINANT CONTAMINANT MONITORING CONTAMINANT FREQUENCY FREQUENCY POC's (Volatile Organic Compounds) Every 9 years Asbestos Waiver from monitoring Trans-1.3-Dichloropropene Benzene No asbestos pipe Bromobenzene Ethylbenzene Monitoring Bromochloromethane Hexachlorobutadiene requirement is Monitoring requirement is Antimony Bromomethane Isopropylbenzene one sample every one sample every 3 years Arsenic N-Butylbenzene p-Isopropyltoluene 3 years Methylene Chloride sec-Butylbenzene Sample results from Beryllium Tert-Butylbenzene n-Propylbenzene Sample results 11/10/20 Cadmium NON-DETECT from 11/9/21 Styrene Carbon Tetrachloride 1,1,1,2-Tetrachloroethane Chlorobenzene Cyanide 2-Chlorotoluene 1.1.2.2-Tetrachloroethane Mercury 4-Chlorotoluene Tetrachloroethene Selenium Toluene Dibromethane Thallium 1.2.3-Trichlorobenzene 1.2-Dichlorobenzene Fluoride 1,2,4-Trichlorobenzene 1,3-Dichlorobenzene NON-DETECT Nitrate Samples from 1.1.1-Trichloroethane 1.4-Dichlorobenzene 11/10/20 11/9/21 Nitrate 1,1,2-Trichloroethane Dichlordifluoromethane 7/6/21 TTHM (Cold Spring) Trichloroethene 1,1-Dichloroethane HAA5 (Cold Spring Trichlorofluoromethane 1.2-Dichloroethane & Luther Forest) 1.1 Dichloroethene 1,2,3-Trichloropropane cis-1,2 Dichloroethene 1,2,4-Trimethylbenzene 1,3,5-Trimethylbenzene Color Trans-1.2-Dichloroethene m-Xylene 1,2 Dichloropropane Monitoring requirement is 1,3 Dichloropropane o- Xylene at State discretion p-Xylene 2,2 Dichloropropane Odor Sample results from Vinyl Chloride Silver 1,1 Dichloropropene 11/10/20 **MTBE** Cis-1,3-Dichloropropene Zinc NON-DETECT Monitoring is 8 E. coli samples/ month NON-DETECT Sample in July every year HAA5 Radiological Parameters THM (1/source) requirement is one Gross Alpha particle activity Cold Spring & Luther Forest Cold Spring -Non-Detect sample every 6-9 years. Gross Alpha Samples from 3/12/19 & 4/2/19 Synthetic Organic Chemicals Synthetic Organic Chemicals (Group I) Synthetic Organic Chemicals (Group II) Monitoring Benzo(a)pyrene Alachlor Aldicarb Aldrin Carbarvl requirement is Aldicarb Sulfoxide Aldicarb Sulfone Butachlor Di(2-ethylhexyl) adipate every 18 months Dalapon Carbofuran Atrazine NON-DETECT Dibromochloropropane Di(2-ethylhexyl) pthalate Dicamba Chlordane Samples 11/9/21 Dinoseb Dieldrin 2,4-D Endrin *State waiver Endothall' Ethylene Dibromide Heptachlor Diquat* does not require Hexachlorobenzene Glyphosate³ Methoxyhlor Lindane monitoring PCB's Toxaphene Hexachlorocyclopentadiene 3-Hydroxycarbofuran these Metolachlor PFOA Methomyl 2,4,5-TP (Silvex) compounds **PFOS** Metribuzin Oxamyl vydate 1,4-Dioxane Propachlor Pichloram 2,3,7,8-TCDD (Dioxin)* Simazine